COMMONWEALTH of VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY PREAPPLICATION MEETING

APPLICATION FOR A GROUND WATER WITHDRAWAL PERMIT (FOR USE IN GROUND WATER MANAGEMENT AREAS)

Date:		
APPLICANT INFORMATION:		
Applicant:		Phone:
Applicant Address:	(Chroat City Chata 7	p Code)
	(Street, City, State, Zi	p Code)
FACILITY INFORMATION:		
Facility/System Name:		
-acility Address:	45.4 15.4 14.00	01. 01.1. 7. 0.1.)
	(If Applicable, Street,	City, State, Zip Code)
Contact Name:	Title:	Phone:
Fax:	Email:	
Proposed Source Aquifer(s): Estimate of requested withdrawal amount Maximum gallons per year: Maximum		ximum gallons per month:
elow is required based on the phange in the nature of the requestanges to the additional information assessments assessments are the comparison of the properties of the prope	basis for all technical evaluation broposed withdrawal amount, so ested withdrawal must be reviewation required. If the required in the following the state of withdrawal impacts, DEQ states.	ns of withdrawal impacts. The indicated information burce aquifer and location described above. Any wed by DEQ modeling staff and may result in information submitted is not adequate to develop a staff may require additional hydrogeologic and ystem during application processing and review to ired for application at this time:
☐ Aquifer test plan		 ☐ Pump test (step drawdown test with a minimum of five pumping rates) ☐ Aquifer test (constant rate discharge test with at least one observation well)
Geophysical logs (spontaneous potential, single point resistance, 16/64 short and long normal resistivity, natural gamma)		ma) Camera survey
Collection and analysis of drill cuttings		☐ Water quality sampling

Collection and analysis of continuous core

Other				
Other				
Other				
Other				
OTE: Material changes in the nature of the proposed withdrawal (significant change of well ocation, construction, withdrawal amount, etc.) requested by the applicant, after technical valuation has been completed by DEQ staff, may require submittal of a new application and 6,000 dollar application fee. A new application and fee will normally be required when the ature of the requested changes results in the need to conduct a second technical evaluation.				
Comments:				
Date	Preapplication Conference Meeting Attendees List			
Name	Representing	Phone		
		1		